

Bull&t RS/RR 50



Technical Specification

Name: Bull&t Model: Bull&t RS/RR 50	
Certificate:	
ENGINE	
Engine Type	2T
Cylinder Type	Horizontal
Displacement	49.3 cc
Lgnition	CDI
Coolong	Forced Air
Starting	Electric & Kick
Lubrication	Oil Pump Separate
Max. Power	3.5 / 7000 kw/rpm
Max Torque	4.7 / 6000 Nm/rpm
Compression Ratio	7.8

Bore°— Stroke	Ø 41°— 37.4 mm
Battery	12V 4AH
DRIVETRAIN	
Transmission	CVT V-Belt Type
BRAKES	
Front Brake	Ø 220 mm Disc
Rear Brake	Ø 220 mm Disc
TIRES	
Front Tires	130/60-13
Rear Tires	130/60-13
DIMENSIONS/CAPACITIES	
Length	1830 mm
Width	670 mm
Height	1155 mm
Best Weight	95 kg
Fuel Capacity	6.8 L
COLOR	
Color	RS:black / white / red,black / yellow
	RR:black / red,black / white
	

New Handle grip and Handlebar end grip



Multi-function With New Designed Speedmeter.



Crystal Brilliant Rear Winker and Rear Lamp.



Ø 220 mm Front and Rear Disc



New Decal Sticker



Accessory

REAR CARRIER	
WINDSHIELD	

Vehicle Details













